



PRODUCT CATALOGUE

PRADEEP®

HOT MILK, HOT WATER
FILTER COFFEE & CHAI
LIVE COUNTER / BANQUET PRODUCTS
BUFFET PRODUCTS



Fill Type	Manual
Dispensing Option	Hot Milk, Hot Water
Electrical Specification	220-240v AC, 16A (Single Phase), 50Hz, 3000W



Video on
How to use

Insulated
Milk Boiler

Non- Insulated
Milk Boiler



Model No.	Height /Dia (mm)	Width(mm) including handle	Capacity (L)
111600	465x265	342	5
111612	570x307	410	12
111620	550x390	480	20
111630	690x390	480	30

Model No.	Height /Dia (mm)	Width(mm) including handle	Capacity (L)
111300	451x256	340	5
111312	515x315	410	12
111320	550x352	450	20
111330	675x352	450	30

Filter Coffee & Chai for

QSRs, Cafes,
Bakery,
Small offices

PRADEEP
iBrew
A PRADEEP PRODUCT



Coffee Brewer - 1 L

Video on How to use



Fill Type	Manual
Dispensing Option	Black Coffee (Coffee Decoction)
Electrical Specification	230V AC,16A (Single Phase), 50Hz, 2800W



Coffee Brewer - 2L

Video on How to use



Fill Type	Manual
Dispensing Option	Black Coffee (Coffee Decoction)
Electrical Specification	230V AC,16A (Single Phase), 50Hz, 2800W



Coffee Brewer - 5 L

Fill Type	Manual
Dispensing Option	Black Coffee (Coffee Decoction)
Electrical Specification	230V AC,16A (Single Phase), 50Hz, 2900W

Model No.	LxWxH(mm)	Capacity
111502	363x200x450	1L/200gm
111502B	363x200x450	2L/400 Gm
111500	250x440x560	2L/400 Gm
111508	250x430x590	2L/400 Gm
111561	630x335x570	5L/1Kg

Manual Combo Brewer Filter



Model No.	LxWxH (mm)	Capacity
111534B	563x317x529	Tea- 3L/200gm Coffee- 2L/400gm

Fill Type	Manual
Dispensing Option	Black Coffee & Black Tea (Decoction)
Electrical Specification	230V AC,16A (Single Phase), 50Hz, 3200W



Semi Automatic Filter Coffee Machine

Water Fill Type	Automatic
Brewing Option	Automatic
Dispensing Option	Black Coffee, Hot Milk Hot Water
Electrical Specification	230V AC, 16A (Single Phase), 50Hz, 3kW



Video on
How to use

Model No.	LxWxH(mm)	Capacity
111570	520x440x560	Coffee Basket - 1L/200 gm Milk - 5L Decoction Storage - 2L

Karakbot



Water Fill Type	Automatic
Brewing Option	5 Type of Brewing
Electrical Specification	230V AC, 16A (Single Phase), 50Hz, 3.5kW

Model No.	LxWxH(mm)	(width includes milk can)	Capacity
111597	560x630x715		1L

Comes with Pradeep Pans 16cm, 20cm, 24cm and Milk Can 8134 (6L)

For
every
cup
**Freshly
made
Chai**

Chai / Tea Brewer



Fill Type	Manual
Dispensing Option	Chai, Tea, Hot Water
Electrical Specification	230V AC, 16A (Single Phase), 50Hz, 2700W
5 Litre Brewer	Min 2L to Max 5L
10 Litre Brewer	Min 3L to Max 10L



Video on
How to use



Model No.	LxWxH(mm)	Capacity
111513	260x300x450	5L
111514	310x350x500	10L

Hot
water
for
every
setup



Semi Automatic Water Boiler (Tap Model)

Model No.	LxWxH(mm)	Capacity
111552	520x210x520	10L
111553	550x240x650	20L

Electric Specification 230V AC, 16A (Single Phase), 50Hz, 3000W



Automatic Water Boiler

Model No.	LxWxH(mm)	Capacity
111550	550x185x520	10 L
111551	570x215x645	20 L

Electric Specification 230 V AC, 16A (Single Phase), 50Hz, 3000W



Automatic Filter Coffee Machine

Water Fill type Automatic
Brewing Option Automatic
Dispensing Option Coffee, Strong Filter Coffee, Hot Milk, Hot Water
Electrical Specification 230V AC, 16A (Single phase), 50Hz 3000W

Model No.	LxWxH(mm)	Capacity
111569	500x450x600	Coffee- 2L/400gm Milk - 5L + 5L Decoction storage - 3L



Tea Automatic Machine (Karak Chai)

Water Fill Type Automatic
Brewing Option Manual
Dispensing option Tea (Karak Chai)
Electrical Specification 230VAC, 16A (Single phase), 50Hz, 3000W

Model No.	LxWxH(mm)	Capacity
111556 (with Mesh)	400x430x690	5L
111559 (with Mesh)	440x490x705	10L
111555 (with Mesh & Stirrer)	400x430x670	5L
111618 (with Mesh & Stirrer)	400x490x700	10L



AVM - Touch Pad Coffee & Tea Machine

Model No.	LxWxH(mm)	Capacity
111598	475x650x550	Coffee Basket - 200gm Milk - 2.75 L x 2 Tea Basket - 210gm

AVM - Touch Screen Coffee & Tea Machine

Model No.	LxWxH(mm)	Capacity
111566	650x490x720	Coffee Basket - 200gm Milk - 2.75 L x 2 Tea Basket - 210gm

HMI (Touch Pad)	14 keys Capacitive Touch Keypad
Power	230V AC, 16A(Single Phase), 50Hz, 3000W
Brewing Option/Water Fill	User Defined / Automatic
Brewing Capacity	Tea: 3 Litres & Coffee: 1 Litre
Brew Storage Capacity	Tea: 3 Litres & Coffee: 1.5 Litres

HMI (Touch Pad)	8" Android Touch Screen
Power	230V AC, 16A(Single phase), 50Hz, 3000W
Brewing Capacity	Tea: 3Litres & Coffee: 1litre
Brew Storage Capacity	Tea: 3 Litres & Coffee: 1.5 Litres
Milk Container	2.75 x 2 (5.5Litres)
No. of cups per minute	4-6 cups (100ml)
Machine Cleaning Option	Automatic



Video on
How to use



Delivering Authentic Indian Tea Experience

Induction Bulk Tea Brewer

Model No.	WxDxH(mm)	Capacity
PA-IMB-12	622x774x1166	50 L



Water Fill Type	Automatic
Beverage Dispensing	Manual
Electrical Specification	12kW, 415V, 50Hz AC(3-phase)

Works well with Pradeep Tea Urn (7217/25)



STEAMING

Table Top Induction / Conventional Idly Steamer

Model No.	WxDxH(mm)	Capacity (No. of Idly's)
PA-TICT-03	401x379x460	54 Idly
111593	460x465x510	36 Idly

Electric Specification
 for PA-TICT-03
 for 111593

230V AC, 16A (Single Phase) 50 Hz, 3500W

230V AC, 16A (Single Phase) 50 Hz, 2700W



FRYING

Table Top Induction Wok with SS 430 Kadai

Model No.	WxDxH(mm)
PA-TWK-03	420x470x240

Electric Specification

230V AC, 16A
 (Single Phase) 50 Hz, 3500W



Tabletop Induction / Conventional Hotplate

Model No.	WxDxH(mm)
PA-THP-05	775x655x300+50
111594	630x480x225

Electric Specification
 for PA-THP-05
 for 111594

230V AC, 25A (Single Phase) 50 Hz, 5000W

230V AC, 16A (Single Phase) 50 Hz, 2500W



ROASTING & GRILLING



COOKING

Table Top Induction Cooker

Model No.	WxDxH(mm)	Electric Specification
PA-TCT-05	390x500x145	230V AC, 25A (Single Phase) 50 Hz, 5kW
PA-TCT-03	340x440x115	230V AC, 16A (Single Phase) 50 Hz, 3.5kW
PA-TCT-PBK-05	550x550x210	230V AC, 25A (Single Phase) 50 Hz, 5kW
PA-TCT-PBK-05	340x435x240	230V AC, 16 A (Single Phase) 50 Hz, 3.5 kW



Built-In Induction Cooker

Model No.	WxDxH(mm)	Cut-out size WxDxH(mm)
PA-TCI-03	400x400x211	385x385x200

Electric Specification 230V AC, 16A
(Single Phase) 50 Hz, 3.5kW



Built-In Induction Wok

Model No.	WxDxH(mm)	Cut-out size WxDxH(mm)
PA-TWI-03	400x400x230	385x385x220

Electric Specification 230V AC, 16A
(Single Phase) 50 Hz, 3.5kW



Buffet Station Built-in Induction cooker

Model No.	WxDxH(mm)	Electric Specification
PA-BSC-03	880x600x173	230V AC, 16A
PA-BS-03	608x370x57	(Single Phase) 50 Hz,
PA-BSI-03	600x338x70	3.5kW (1.7kW+1.8kW)



Electrical Deep Fryer (Double Pan) Electrical Deep Fryer (Single Pan)

Model No.	LxWxH(mm)	Pan Capacity (L)
111405	397x432x319	2x5
111401	432x546x318	2x8
111403	432x543x366	2x11

**Electric Specification - 230V AC,
16A (Single Phase), 50Hz, 3000W x 2**

Model No.	LxWxH(mm)	Pan Capacity (L)
111404	185x432x310	5
111400	276x432x320	8
111402	276x432x320	11

**Electric Specification - 230V AC,
16A (Single Phase), 50Hz, 3000W x 2**



Momo Steamer

Model No.	WxDxH (mm)
111816	320x400x160

Electrical Specification :
230V AC, 16A (Single Phase),
50Hz, 3000W

Water fill type : Automatic
Timer option : Yes



Electrical Steamer

Model No.	Capacity
220305	4 L
220307	12 L

Electric Specification

230 V AC, 16A (Single Phase), 50Hz, 2400W
230 V AC, 16A (Single Phase), 50Hz, 3000W



Video on
How to use

Electrical Steamer with Insert



Model No.	No of Strainers	Capacity	Electrical Specification 230 V AC, 16A (Single Phase)50Hz, 3000W
220328	1	10 L	
220328-2	2		
220328-3	3		
220340	1	28 L	
220340-2	2		
220340-3	3		



Chaffer Warmer

Model No.	LxWxH(mm)	Electrical
PA-CW-02	320x405x92	230V AC, 16A (Single Phase), 50 Hz, 2500W
PA-CW-01	320x405x92	230V AC, 10A (Single Phase), 50Hz, 1000W



Electrical Bain Marie

Model No.	WxDxH (mm)	Pan Capacity
111596	340x560x305	6.65x3

Electric Specification	230V AC, 16A (Single Phase) 50 Hz, 1800W
------------------------	---



Food Warmer Double (RG – Rose Gold Bulb Cover & SG – Sneeze Guard)

Model No.	WxHxD (mm)	Electric Specification
111411	700x680x430	230V AC, 10A (Single Phase) 50 Hz, 1000W
111411/RG		
111411/RG/SG		



Food Warmer Single (RG – Rose Gold Bulb Cover & SG – Sneeze Guard)

Model No.	WxHxD (mm)	Electric Specification
111412	380x575x675	230V AC, 10A (Single Phase) 50 Hz, 500W
111412/RG		
111412/RG/SG		



Conveyor Toaster

Model No.	WxHxD (mm)	Capacity
111562 (Single)	290x395x780	150 slices/hr
111592 (Double)	370x430x780	300 slices/hr

Electric Specification

230V AC, 10A ,50Hz, 1200W

230V AC, 16A ,50Hz, 2400W



Tea/Coffee Urn

Model No.	Capacity	Pcs/Ctn	CBM
7217/6	6.00	1	0.033
7217/8	8.00	1	0.040
7217/12	12.00	1	0.044
7217/16	16.00	1	0.053
7217/20	20.00	1	0.063
7217/25	25.00	1	0.075
7217/30	30.00	1	0.085
7217/35	35.00	1	0.096



Insulated Food Container

Model No.	Capacity	Pcs/Ctn	CBM
9232/5	5.00	1	0.024
9232/10	10.00	1	
9232/15	15.00	1	
9232/20	20.00	1	0.058
9232/30	30.00	1	0.078
9232/40	40.00	1	0.101
9232/50	50.00	1	0.120



Liquid Warmer Plate

Model No.	Description	Electrical
111609	Double	230V, 6A (Single Phase),50Hz, 400W
111610	Single	230V, 6A (Single Phase),50Hz, 200W
3325	Schott Decanter	Capacity : 1.6 L



Soup Urn

Model No.	Capacity (L)
111702	7
111702/RG	

Electrical Specification

230V AC, 16A (Single Phase),

50Hz, 3000W



Triply Chafer with stand
(Gold)-Soft close

Model No.	Capacity	Dia x H (mm)
291004	4 L	240x312
291005	5 L	260x327
291006	7 L	280x340



Triply Chafer with stand
(Copper)-Soft close

Model No.	Capacity	Dia x H (mm)
291001	4 L	240x312
291002	5 L	260x327
291003	7 L	280x340



Triply Chafer
(Gold)-Soft close

Model No.	Capacity	Dia x H (mm)
291010	4 L	240x192
291011	5 L	260x207
291012	7 L	280x220



Triply Chafer
(Copper)-Soft close

Model No.	Capacity	Dia x H (mm)
291007	4 L	240x192
291008	5 L	260x207
291009	7 L	280x220

Hot/Cold Dispenser
(with Heater Plate)

Model No.	Capacity (L)
111802	5
111803	10

Electric Specification - 230V AC,
16A (Single Phase), 50Hz, 800W



Hot/Cold Dispenser
(with Fuel Plate)

Model No.	Capacity (L)
9227HC/5	5



Support at your finger tips

On line :

Video Call (9am-6pm Monday to Saturday)

Tele Support (9am-6pm Monday to Saturday)

On Site Scheduled Visits :

(9am-6pm Monday to Saturday)

Growing Fleet of Service Engineers :

Bengaluru - 2

Chennai - 3

Kochi - 1

Hyderabad - 1

Delhi - 1

Mumbai - 1

Dedicated Service CRM :

+91 99401 23186 (iBrew)

servicecrm@pradeepstainless.in

+91 73050 49466 (Pradeep Milk Boiler)

servicecrm2@pradeepstainless.in

Dedicated Spare Part CRM :

+91 73050 88344

crm2@pradeepstainless.in

Product enquiry :

+91 7845566023

hello@pradeepstainless.in

**Plot C3, B7 & D1, Phase II, MEPZ- Special Economic
Zone, Tambaram, Chennai - 600 045, India.**

www.pradeepstainless.com

www.pradeepibrew.com

www.pradeepaeonic.com

