



POTS & PANS



GASTRONORM PANS



SERVEWARE - COPPER SERIES



BUFFET PRODUCTS



LIVE COUNTER - ELECTRIC

PRADEEP STAINLESS INDIA PVT LTD

Since its foundation in 1979, Pradeep Stainless India has evolved from a small business venture into one of the country's leading manufacturer and exporter of stainless steel products with a global footprint that spans more than 10 countries. Over 35 years of excellence, innovation, and expertise combined with the latest technological advancements have made us the most trusted name in the business.

The Legacy

Our manufacturing unit was first set up in 1978. In 2001, we shifted our facility to the Madras Export Processing Zone, a special economic zone (SEZ) in Chennai established in 1984. Spread across 16000 sq. metres, our factory stepped up its production of export quality stainless steel utensils, kitchenware, tableware, catering wares, petwares and planters. Our products were exported to UAE and Saudi Arabia and gradually, they were in high demand in the entire Middle-East and Africa. In addition to these countries, today, we have an extensive presence in the Indian continent and Europe. Many of our electrical products have earned international certifications. We have state-of-the-art manufacturing and export infrastructure that's operated by more than 800 skilled and unskilled employees. The entire process from design to production and packaging is deftly conducted within our own factory campus. We also have a special R&D and in-house design cell where our product designs are conceptualised, created, and tested by qualified design and development engineers.

The Legacy Continues

*To develop and market top-grade, value for money products with a keen eye on new trends and technologies has always been the core objective of our company. Therefore, we strive to constantly innovate our product offerings, besides maintaining our well-established range of stainless steel products for food and beverage preparation, storage, and serving. The legacy of **Pradeep Stainless India** is now being carried forward by a team that's endowed with excellent academic and professional achievements under the ever-inspiring guidance of **Mr. B. Ramesh Chand**, the Chairman of the company. Pradeep Stainless India is being steered to greater heights through their dedicated efforts and teamwork.*

UNIT - 1



Cookware

A fusion of elegant design and innovation is at the heart of our excellent range of stainless steel cookware which includes saucepans, frying pans (with and without non-stick coating), and stockpots. Each meticulously-built piece features a special multi-layer construction, where 5mm aluminium core is encapsulated between a top and bottom layer made of finest quality stainless steel in satin or mirror finish. This ensures even heat distribution and retention for superb cooking results. The collection is perfect for use on all heat sources including induction and offers sizes that range from home use to large-scale commercial kitchens.



FEATURES

Heavy Duty 3-ply Encapsulated Construction	Mirror / Satin Finish	Heavy Duty Handle	Folded Edges	Non-Stick Fry Pan Riveted Handles
				

Stainless Steel 304
Aluminium - 5 mm
Stainless Steel 430



Ceramic



Electric



Induction



Gas



Halogen



Dishwasher

Casserole Low/Cook Pot Low



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229L/24	3.2	240	70	0.8 / 5 / 0.8	1	0.008
7229L/28	4.3	280	70	0.8 / 5 / 0.8	1	0.011
7229L/32	5.6	320	70	0.8 / 5 / 0.8	1	0.014
7229L/36	6.9	360	70	0.8 / 5 / 0.8	1	0.017
7229L/40	8.9	400	70	0.9 / 5 / 0.8	1	0.021
7229L/45	10.5	450	70	1.0 / 5 / 0.8	1	0.030
7229L/50	13.0	500	70	1.0 / 5 / 0.8	1	0.036

Casserole Medium/Cook Pot Medium



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229M/20	3.5	200	120	0.7 / 5 / 0.7	6	0.065
7229M/22	4.5	220	130	0.7 / 5 / 0.7	6	0.082
7229M/24	6.0	240	140	0.7 / 5 / 0.7	6	0.087
7229M/26	7.5	260	150	0.7 / 5 / 0.7	6	0.107
7229M/28	10.0	280	150	0.8 / 5 / 0.8	4	0.018
7229M/32	15.0	320	180	0.8 / 5 / 0.8	1	0.025
7229M/36	20.0	360	200	0.9 / 5 / 0.8	1	0.034
7229M/40	28.0	400	220	0.9 / 5 / 0.8	1	0.046
7229M/45	40.0	450	250	1.0 / 5 / 0.8	1	0.063
7229M/50	53.0	500	270	1.2 / 5 / 0.8	1	0.082
7229M/55	71.0	550	300	1.2 / 5 / 0.8	1	0.106
7229M/60	93.0	600	330	1.2 / 5 / 0.8	1	0.133

Casserole High / Cook Pot High



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229H/28	13.0	280	210	0.8 / 5 / 0.8	1	0.024
7229H/32	20.0	320	240	0.8 / 5 / 0.8	1	0.033
7229H/36	28.0	360	270	0.9 / 5 / 0.8	1	0.044
7229H/40	38.0	400	300	0.9 / 5 / 0.8	1	0.062
7229H/45	56.0	450	340	1.0 / 5 / 0.8	1	0.087
7229H/50	75.0	500	380	1.2 / 5 / 0.8	1	0.114
7229H/55	100.0	550	420	1.2 / 5 / 0.8	1	0.151
7229H/60	130.0	600	460	1.2 / 5 / 0.8	1	0.191

Stock Pot / Cook Pot Full



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229S/20	6.0	200	200	0.7 / 5 / 0.7	4	0.014
7229S/22	8.5	220	220	0.7 / 5 / 0.7	4	0.017
7229S/24	10.0	240	240	0.7 / 5 / 0.7	1	0.021
7229S/26	14.0	260	260	0.7 / 5 / 0.7	1	0.025
7229S/28	17.0	280	280	0.8 / 5 / 0.8	1	0.030
7229S/32	26.0	320	320	0.8 / 5 / 0.8	1	0.043
7229S/36	37.0	360	360	1.0 / 5 / 0.8	1	0.060
7229S/40	50.0	400	400	1.0 / 5 / 0.8	1	0.080
7229S/45	72.0	450	450	1.2 / 5 / 0.8	1	0.110
7229S/50	98.0	500	500	1.2 / 5 / 0.8	1	0.148
7229S/55	130.0	550	550	1.2 / 5 / 0.8	1	0.194
7229S/60	170.0	600	600	1.2 / 5 / 0.8	1	0.248

POTS & PANS

Cook Pot / Steamer with Strainer



Strainer

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)		Dia(mm)	Height(mm)
2815/12	10.0	280	150	STEAMER SIZE STRAINER SIZE	280	120
3218/12	15.0	320	180		320	120
3620/12	20.0	360	200		360	120
4022/12	28.0	400	220		400	120
4525/12	40.0	450	250		450	120

Colander



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7233/28	4.0	280	140	0.6	24	0.065
7233/32	7.0	320	165	0.7	12	0.058
7233/36	10.0	360	185	0.7	12	0.067
7233/40	14.0	400	205	0.7	12	0.088
7233/45	20.0	450	225	0.7	6	0.076
7233/50	25.0	500	245	0.8	6	0.105
7233/65	40.0	650	285	0.9	3	0.186

POTS & PANS

PRADEEP®
www.pradeepstainless.com

Frying Pan



**with Helper Handle*
(7231/FP/36)



Frying Pan (Non - Stick Coated)

**with Helper Handle*
(7232/FP/36)



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7231/FP/20	1.250	200	40	0.8 / 5 / 0.8	16	0.076	7232/FP/20	1.250	200	40	0.8 / 5 / 0.8	16	0.076
7231/FP/22		220	40	0.8 / 5 / 0.8	6	0.049	7232/FP/22		220	40	0.8 / 5 / 0.8	6	0.049
7231/FP/24	2.000	240	45	0.8 / 5 / 0.8	6	0.053	7232/FP/24	2.000	240	45	0.8 / 5 / 0.8	6	0.053
7231/FP/26	2.500	260	50	0.8 / 5 / 0.8	5	0.054	7232/FP/26	2.500	260	50	0.8 / 5 / 0.8	5	0.053
7231/FP/28	3.000	280	50	0.8 / 5 / 0.8	5	0.061	7232/FP/28	3.000	280	50	0.8 / 5 / 0.8	5	0.061
7231/FP/30		300	50	0.8 / 5 / 0.8	5	0.078	7232/FP/30		300	50	0.8 / 5 / 0.8	5	0.078
7231/FP/32	3.750	320	55	0.8 / 5 / 0.8	5	0.081	7232/FP/32	3.750	320	55	0.8 / 5 / 0.8	5	0.081
7231/FP/36*		360	55	1.0 / 5 / 0.8	5	0.109	7232/FP/36*		360	55	1.0 / 5 / 0.8	5	0.109

POTS & PANS



PRADEEP[®]
www.pradeepstainless.com

Conical Pan



Sauce Pan



**with Helper Handle*



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7230/CP/20	1.400	200	60	0.6 / 5 / 0.5	4	0.047	7230/SP/16	1.900	160	95	0.8 / 5 / 0.8	6	0.048
7230/CP/22	1.800	220	65	0.6 / 5 / 0.5	4		7230/SP/20	3.300	200	105	0.8 / 5 / 0.8	6	0.073
7230/CP/24	3.000	240	75	0.7 / 5 / 0.6	4	0.068	7230/SP/24	5.000	240	110	0.8 / 5 / 0.8	4	0.063
7230/CP/26	3.200	260	80	0.7 / 5 / 0.6	4		7230/SP/26	7.500	260	150	0.7 / 5 / 0.7	1	0.025
7230/CP/28	4.000	280	85	0.7 / 5 / 0.6	4		7230/SP/28*	10.000	280	150	0.8 / 5 / 0.8	1	0.028
7230/CP/30	5.000	300	90	0.7 / 5 / 0.6	4		7230/SP/32*	15.000	320	180	0.8 / 5 / 0.8	1	0.039
7230/CP/32	6.000	320	95	0.7 / 5 / 0.6	4								

POTS & PANS

Triply Conical Pan



Triply Frypan



*Triply Frypan (Honey comb Non-Stick)**



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Pcs/Ctn	CBM
1170/20	1.6	200	65	1		1168/20	1.2	200	45	12	
1170/22	1.9	220	70	1		1168/24	1.9	240	50	8	
1170/24	2.5	240	75	1		1168/28	2.7	280	55	6	
1170/26	3.25	260	80	1		*1167/20	1.2	200	45	12	
1170/28	3.9	280	85	1		*1167/24	1.9	240	50	8	
						*1167/28	2.7	280	55	6	

GASTRONORM PANS

PRADEEP®
www.pradeepstainless.com




MADE IN INDIA

GASTRONORM PANS



PRADEEP®
www.pradeepstainless.com

Gn Pan 2/1



Gn Pan 1/1



ITEM NO	L x B x D(mm)	PCS/CTN	CBM	ITEM NO	L x B x D(mm)	PCS/CTN	CBM
P9061/20	2/1 - 650 x 530 x 20			P9062/20	1/1 - 530 x 325 x 20		
P9061/40	2/1 - 650 x 530 x 40			P9062/40	1/1 - 530 x 325 x 40		
P9061/65	2/1 - 650 x 530 x 65			P9062/65	1/1 - 530 x 325 x 65		
P9061/100	2/1 - 650 x 530 x 100			P9062/100	1/1 - 530 x 325 x 100		
P9061/150	2/1 - 650 x 530 x 150			P9062/150	1/1 - 530 x 325 x 150		
				P9062/200	1/1 - 530 x 325 x 200		

GASTRONORM PANS



PRADEEP[®]
www.pradeepstainless.com

Gn Pan 2/4



Gn Pan 2/3



ITEM NO	L x B x D(mm)	PCS/CTN	CBM	ITEM NO	L x B x D(mm)	PCS/CTN	CBM
P9063/65	2/4 - 530 x 162 x 65			P9064/20	2/3 - 354 x 325 x 20		
P9063/100	2/4 - 530 x 162 x 100			P9064/40	2/3 - 354 x 325 x 40		
				P9064/65	2/3 - 354 x 325 x 65		
				P9064/100	2/3 - 354 x 325 x 100		
				P9064/150	2/3 - 354 x 325 x 150		

GASTRONORM PANS



PRADEEP[®]
www.pradeepstainless.com

Gn Pan 1/2



Gn Pan 1/3



ITEM NO	L x B x D(mm)	PCS/CTN	CBM	ITEM NO	L x B x D(mm)	PCS/CTN	CBM
P9065/20	1/2 - 325 x 265 x 20			P9066/20	1/3 - 325 x 176 x 20		
P9065/40	1/2 - 325 x 265 x 40			P9066/40	1/3 - 325 x 176 x 40		
P9065/65	1/2 - 325 x 265 x 65			P9066/65	1/3 - 325 x 176 x 65		
P9065/100	1/2 - 325 x 265 x 100			P9066/100	1/3 - 325 x 176 x 100		
P9065/150	1/2 - 325 x 265 x 150			P9066/150	1/3 - 325 x 176 x 150		
P9065/200	1/2 - 325 x 265 x 200						

GASTRONORM PANS



PRADEEP[®]
www.pradeepstainless.com

Gn Pan 1/4



Gn Pan 1/6



ITEM NO	L x B x D(mm)	PCS/CTN	CBM	ITEM NO	L x B x D(mm)	PCS/CTN	CBM
P9067/20	1/4 - 265 x 162 x 20			P9068/20	1/6 - 176 x 162 x 20		
P9067/40	1/4 - 265 x 162 x 40			P9068/40	1/6 - 176 x 162 x 40		
P9067/65	1/4 - 265 x 162 x 65			P9068/65	1/6 - 176 x 162 x 65		
P9067/100	1/4 - 265 x 162 x 100			P9068/100	1/6 - 176 x 162 x 100		
P9067/150	1/4 - 265 x 162 x 150			P9068/150	1/6 - 176 x 162 x 150		

GASTRONORM PANS



PRADEEP®
www.pradeepstainless.com

Gn Pan 1/9



Gn Pan Lid



ITEM NO	L x B x D(mm)	PCS/CTN	CBM	ITEM NO	L x B x D(mm)	PCS/CTN	CBM
P9069/20	1/9 - 176 x 108 x 20			P9070/2/1	2/1 - 650 x 530		
P9069/40	1/9 - 176 x 108 x 40			P9070/1/1	1/1 - 530 x 325		
P9069/65	1/9 - 176 x 108 x 65			P9070/2/3	2/3 - 354 x 325		
P9069/100	1/9 - 176 x 108 x 100			P9070/1/2	1/2 - 325 x 265		
				P9070/1/3	1/3 - 325 x 176		
				P9070/1/4	1/4 - 265 x 162		
				P9070/1/6	1/6 - 176 x 162		
				P9070/1/9	1/9 - 176 x 108		

SERVEWARE - COPPER SERIES

*Triply Saucepan with
(Long Handle)*



ITEM NO	CAPACITY (LT)	DIA (cm)	HEIGHT (cm)
1177/16	1.6	16	8.5
1177/20	3.5	20	11.0
1177/24	6.3	24	14.0
1177/28	9.8	28	16.0

Triply Sauce Pot



ITEM NO	CAPACITY (LT)	DIA (cm)	HEIGHT (cm)
1178/16	1.6	16	8.5
1178/20	3.5	20	11.0
1178/24	6.3	24	14.0
1178/28	9.8	28	16.0

SERVEWARE - COPPER SERIES

Triply Casserole Pot



ITEM NO	CAPACITY (LT)	DIA (cm)	HEIGHT (cm)
1179/20	2.2	20	7
1179/24	3.6	24	8
1179/28	5.5	28	9

*Triply Casserole Pot
(Long Handle)*



ITEM NO	CAPACITY (LT)	DIA (cm)	HEIGHT (cm)
1180/20	2.2	20	7
1180/24	3.6	24	8
1180/28	5.5	28	9

SERVEWARE - COPPER SERIES

Triply Frypan (Long Handle)



ITEM NO	CAPACITY (LT)	DIA (MM)	HEIGHT (CM)
1181/20	1.4	20	4.5
1181/24	2.0	24	4.5
1181/28	3.4	28	5.5

Triply Frypan



ITEM NO	CAPACITY (LT)	DIA (MM)	HEIGHT (CM)
1182/20	1.4	20	4.5
1182/24	2.0	24	4.5
1182/28	3.4	28	5.5

SERVEWARE - COPPER SERIES

Triply Frypan (Long Handle)



ITEM NO	CAPACITY (LT)	DIA (MM)	HEIGHT (CM)
1183/10	0.25	10	3.0
1183/12	0.40	12	3.5
1183/14	1.30	14	9.0

Triply Casserole Pot



ITEM NO	CAPACITY (LT)	DIA (MM)	HEIGHT (CM)
1184/10	0.35	10	4.5

SERVEWARE - COPPER SERIES

Triply Sauce Pot



ITEM NO	CAPACITY (LT)	DIA (MM)	HEIGHT (CM)
1185/10	0.50	10	7
1185/12	0.85	12	8
1185/14	1.30	14	9

Triply Frypan



ITEM NO	CAPACITY (LT)	DIA (MM)	HEIGHT (CM)
1186/10	0.25	10	3.0
1186/12	0.40	12	3.5
1186/14	0.70	14	4.5

SERVEWARE - COPPER SERIES

Triply Casserole Pot (Long Handle)



ITEM NO	CAPACITY (LT)	DIA (cm)	HEIGHT (cm)
---------	---------------	----------	-------------

1187/10	0.35	10	4.5
---------	------	----	-----

Triply Saucepan (Long Handle)



ITEM NO	CAPACITY (LT)	DIA (cm)	HEIGHT (cm)
---------	---------------	----------	-------------

1188/10	1.25	10	3.0
1188/12	0.40	12	3.5
1188/14	0.70	14	4.5

Chaffer Warmer



ITEM NO	SIZE(mm) WxDxH	POWER (kW)	VOLTAGE (V AC)	FREQUENCY (Hz)
PA-CW-02	320X406X85	2.5	220-240	50
PA-CW-01	320X406X85	1.0	220-240	50

Cut-out size : 280 x 365 x 110 (WxDxH) (mm)

Works well with Triply Chaffer Page No: (22)

BUFFET PRODUCTS

*Triply Chafer with Stand
(Gold) - Soft Close*



ITEM NO	CAPACITY (LT)	DIA (mm)	HEIGHT (mm)
291004	4	240	312
291005	5	260	327
291006	7	280	340

*Triply Chafer with Stand
(Copper) - Soft Close*



ITEM NO	CAPACITY (LT)	DIA (mm)	HEIGHT (mm)
291001	4	240	312
291002	5	260	327
291003	7	280	340

BUFFET PRODUCTS

Triply Chafer (Gold) - Soft Close



ITEM NO	CAPACITY (LT)	DIA (mm)	HEIGHT (CM)
291010	4	240	192
291011	5	260	207
291012	7	280	220

Works well with PA-CW-02, PA-CW-01

Triply Chafer (Copper) - Soft Close



ITEM NO	CAPACITY (LT)	DIA (mm)	HEIGHT (mm)
291007	4	240	192
291008	5	260	207
291009	7	280	220

Works well with PA-CW-02, PA-CW-01

BUFFET PRODUCTS

Round Chaffer



ITEM NO	PAN SIZE	DIA x HEIGHT (mm)	PCS/CTN	CBM
211001	4000	330 x 250	4	
211002	5000	330 x 275	4	
211003	7500	390 x 280	4	
211004*	4000	330 x 250	4	
211005*	5000	330 x 275	4	
211006*	7500	390 x 280	4	

*Leg Type: Stainless steel * With Glass lid*

** Dimensions inclusive of side and lid handles*

PRADEEP®

www.pradeepstainless.com

Liquid Warmer Plate



ITEM NO	DESCRIPTION	PCS/CTN	CBM
111609	DOUBLE	6	0.090
111610	SINGLE	10	0.045

Decanter not included

Electrical Specification: 111609: 220 240v AC, 10A(Single Phase), 400W
111610: 220 240v AC, 10A(Single Phase), 200W

BUFFET PRODUCTS

Hot/ Cold Dispenser (with Fuel Plate)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
9227HC/5	5.00	6	0.138

Hot/ Cold Dispenser (with Heater Plate)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111802	5.00	4	0.157
111803	10.00	4	0.168

BUFFET PRODUCTS

Cold Dispenser



ITEM NO	Capacity (Lt)	Pcs/Ctn	CBM
9227C/5	5.00	4	0.193

Soup Urn

NEW



ITEM NO	Capacity (Lt)	Pcs/Ctn	CBM
*111702	7.00	1	0.043
111702/RG	7.00		

**without Color (SS Finish)*

Electrical Specification: 220 240v AC, 16A(Single Phase), 3000W

BUFFET PRODUCTS

NEW

PRADEEP[®]
www.pradeepstainless.com

Food Warmer



Double

Single

Item No	WxHxD(mm)	Pcs/Ctn	CBM
DOUBLE	700 x 680 x 430	1	0.10
111411			
111411/RG*			
111411/RG/SG#			
SINGLE	575 x 673 x 379	1	0.07
111412			
111412/RG*			
111412/RG/SG#			

* With Rose Gold Bulb Cover

With Rose Gold Bulb Cover and Sneeze Guard

Electrical Specification: 111411: 220 240v AC, 10A(Single Phase), 1000W
111412: 220 240v AC, 10A(Single Phase), 500W

Conveyor Toaster



Double



Single

Item No	WxHxD(mm)	Pcs/Ctn	CBM
111562	290 x 395 x 780	1	0.083
111592	370 x 430 x 780	1	

Conveyor speed control (Toast colour control)

Variable Heating modes, Stand-by mode

Front loading - Front pick-up, Front loading - Rear pick-up options

Electrical Specification: 111562: 220 240v AC, 10A(Single Phase), 650+650W
111592: 220 240v AC, 10A(Single Phase), 1200+900W

BUFFET PRODUCTS

Tea/Coffee URN



Item No	Capacity (Lt)	Pcs/Ctn	CBM
7217/6	6.00	1	0.033
7217/8	8.00	1	0.040
7217/12	12.00	1	0.044
7217/16	16.00	1	0.053
7217/20	20.00	1	0.063
7217/25	25.00	1	0.075
7217/30	30.00	1	0.085
7217/35	35.00	1	0.096

Wide open mouth-Easy to clean
PUF insulation for longer heat retention
Heavy duty tap for drip-free dispensing

Insulated Food Container



Item No	Capacity (Lt)	Pcs/Ctn	CBM
9232/5	5.00	1	0.024
9232/10	10.00	1	
9232/15	15.00	1	
9232/20	20.00	1	0.058
9232/30	30.00	1	0.078
9232/40	40.00	1	0.101
9232/50	50.00	1	0.120

Study and ergonomic handles for easy carrying
PUF Insulation for longer heat retention
Locking lid with airtight seal to prevent spillage during transportation

LIVE COUNTER - ELECTRIC

Table Top Induction Wok with Kadai



Model	Size(mm)			Power (kW)	Voltage (V AC)	Frequency (Hz)
	W	D	H			

PA-TWK-03	420	470	240	3.5	220-240	50
-----------	-----	-----	-----	-----	---------	----

Works well with Pradeep induction kadai size 40cm

Table Top Induction Cooker



Model	Size(mm)			Power (kW)	Voltage (V AC)	Frequency (Hz)
	W	D	H			

PA-TCT-05*	390	500	145	5	415	50
PA-TCT-03#	340	440	115	3.5	220-240	50

* Works well with pradeep pots and pans.
Recommended size - 28cm

Works well with pradeep pots and pans.
Recommended size - 24cm

LIVE COUNTER - ELECTRIC

*Built In Induction Cooker
(Insert Model)*



Model	Size(mm)			Power (kW)	Voltage (V AC)	Frequency (Hz)
	W	D	H			
PA-TCI-03	400	400	211	3.5	220-240	50

Cut-out size : 385 x 385 x 200 (WxDxH) (mm)

Works well with pradeep pots and pans.

Recommended size - 24cm

*Built In Induction Wok
(Insert Model)*



Model	Size(mm)			Power (kW)	Voltage (V AC)	Frequency (Hz)
	W	D	H			
PA-TWI-03	400	400	237	3.5	220-240	50

Cut-out size : 385 x 385 x 220 (WxDxH) (mm)

Works well with

Pradeep induction kadai size 40cm

LIVE COUNTER - ELECTRIC

Electric Deep Fryer (Double Pan)



ITEM NO	LxWxH(mm)	Oil Volume @Max(Lt)	Pan Capacity(Lt)	Pcs/Ctn	CBM
111405	420x397x310	2 x 3	2 x 5	1	0.117
111401	420x545x310	2 x 5	2 x 8	1	0.151
111403	420x545x360	2 x 8	2 x 11	1	0.173

Electric Deep Fryer (Single Pan)



ITEM NO	LxWxH(mm)	Oil Volume @Max(Lt)	Pan Capacity(Lt)	Pcs/Ctn	CBM
111404	420x184x310	3	5	1	0.061
111400	420x273x310	5	8	1	0.082
111402	420x273x360	8	11	1	0.089

LIVE COUNTER - ELECTRIC



PRADEEP®
www.pradeepstainless.com

Electrical Steamer with Insert



Item No	Number of Strainers	Capacity (Lt)	CBM
220328	1	10	
220328-2	2		
220328-3	3		
220340	1	28	
220340-2	2		
220340-3	3		
220345	1	40	
220345-2	2		
220345-3	3		

Electrical Specification: 220 240v AC, 16A(Single Phase), 3000W

LIVE COUNTER - ELECTRIC



PRADEEP®
www.pradeepstainless.com

Electrical Steamer



Item No	Capacity (Lt)	Pcs/Ctn	CBM
220305*	4.00	4	0.139
220307	12.00	2	0.177

**Also Available with Glass Lid*

Electrical Specification: 220305: 220 240v AC, 16A(Single Phase), 2400W
220307: 220 240v AC, 16A(Single Phase), 3000W

LIVE COUNTER - ELECTRIC

Electrical Bain Marie



ITEM NO	WxHxD (mm)	Pan Size(mm) Capacity	PCS/CTN
111596	340x560x305	Pan Size Up to 1x1-200mm Depth GN Pan	1

Gn Pan & Lid not Included

LIVE COUNTER - ELECTRIC

*Tabletop Induction / Conventional
Idly Cooker with Timer*



Model	Size(mm)			Power (kW)	Voltage (V AC)	Frequency (Hz)
	W	D	H			
PA-TICT-03	460	510	720	3.5	220-240	50

Idly Capacity: 54 pcs

NEW

PRADEEP®
www.pradeepstainless.com

Electrical Idly Cooker



ITEM NO	WxHxD (mm)	CAPACITY IDLY	PCS/CTN	CBM
111593	460x505x465	9x4	1	

Electrical Specification: 220 240v AC, 16A(Single Phase), 2400W

LIVE COUNTER - ELECTRIC

Electrical Hotplate



Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)
	W	D	H			
111594	630	225	435	2.5	220-240	50

Hot Plate Size(mm) : 600Wx330Dx12Thk

Table Top Induction Hot Plate



Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)
	W	D	H			
PA-TPH-05	775	655	300+50	5.0	220	50



Griddle Configuration Available

Hot Plate Size(mm) : 610Wx450Dx15Thk

LIVE COUNTER - ELECTRIC



PRADEEP®
www.pradeepstainless.com

Water Boiler



ITEM NO	CAPACITY (Gallon)	CAPACITY(LT)	PCS/CTN	CBM
* 111101	1	4.50	2	0.064
111102	2	9.00	2	0.086
111104	4	18.00	2	0.142
111106	6	27.00	2	0.175
* 111109	9	40.00	2	0.240

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Water

Insulated Water Boiler



ITEM NO	CAPACITY (Gallon)	CAPACITY(LT)	PCS/CTN	CBM
* 111201	1	4.50	1	0.031
111202	2	9.00	1	0.041
111204	4	18.00	1	0.068
111206	6	27.00	1	0.086
* 111209	9	40.00	1	0.129

Electricity Saver - PUF Insulation

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Water

** Mark & Mention On Order Basis only*

Electrical Specification: 220 240v AC, 16A(Single Phase), 3000W

LIVE COUNTER - ELECTRIC



PRADEEP®
www.pradeepstainless.com

Milk Boiler



Insulated Milk Boiler



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111300	5.00	1	0.054
111312	12.00	1	0.083
111320	20.00	1	0.107
111330	30.00	1	0.131

ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111600	5.00	1	0.062
111612	12.00	1	0.091
111620	20.00	1	0.113
111630	30.00	1	0.139

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Hot Milk, Hot Water

Fill Type: Manual
Fill Temperature: Normal
Electricity Saver - PUF Insulation *Dispensing Options: Hot Milk, Hot Water*

LIVE COUNTER - ELECTRIC

Tea Filter with Warmer Plate



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111505	3.00	6	0.118
111506	5.00	6	0.178

Fill Type: Manual

Fill Temperature: Boiling Hot

Dispensing Options: Black Tea

Electrical Specification: 220 240v AC, 16A(Single Phase), 2400W

Coffee Filter with Warmer Plate



ITEM NO	CAPACITY(LT)	PCS/CTN	CBM
111503	3.00	6	0.118
111504	5.00	6	0.178

Fill Type: Manual

Fill Temperature: Boiling Hot

Dispensing Options: Black Coffee

Electrical Specification: 220 240v AC, 16A(Single Phase), 800W

PRADEEP STAINLESS INDIA PVT LTD

Welcome to *iBrew by Pradeep* India's first indigenously designed Indian Karak Chai and South Indian filter coffee brewing and dispensing machines made from the finest stainless steel and best-in-class electrical and electronic components.

A venture of Pradeep Stainless India Pvt. Ltd., the brand carries the same trust and dedication to quality that the name Pradeep is synonymous with for nearly four decades. Here's a glimpse into how the brand was born.

Inception Of The Brand

Pradeep Stainless India is a market leader in manufacturing and export of superior-grade stainless steel products with a global footprint in more than 10 countries.

With extensive experience of manufacturing coffee brewing machine components for many international companies, the company realised the potential of India's own favourite Karak Chai and South Indian filter Coffee through automated brewing and dispensing machines.

Thus was launched the brand *iBrew by Pradeep* under the ever-inspiring guidance of **Mr. B. Ramesh Chand**, the Chairman of the company.

Why Choose iBrew?

The brand's foundation has been laid on quality, innovation, and use of latest technology. Designed, manufactured and tested in the state-of-the-art ISO 9001-2008 facility at MEPZ-SEZ in Chennai, all *iBrew* products are built to provide consistent taste and quality of the beverage, while ensuring safety, ease of operation and maintenance of the machine. Qualities combined with innovative features make *iBrew* machines the perfect professional hot beverage solution. Striving to become world's leading manufacturer of traditional Indian Karak Chai and South Indian filter coffee machines, *iBrew by Pradeep* aims to deliver the real taste of Indian beverages to the world!

UNIT-2





Scan for E-Catalogue



Beverage Equipment



Domestic Range



Induction Kitchen
Equipment

PRADEEP®

PRADEEP STAINLESS INDIA PVT LTD

Plot C3,B7 & D1, Phase II, MEPZ - Special Economic Zone, Tambaram, Chennai - 600 045, India.

www.pradeepstainless.com | www.pradeepibrew.com | sales@pradeepstainless.com



pradeepstainless



Pradeep Stainless



PRADEEPSTAINLESS



PradeepPSIPL